THE RIGHT INVENTORY AT THE RIGHT TIME



Dynamic Customer Service Levels: Evolving Safety Stock Requirements for Changing Business Needs

Dan Covert Joaquin Ortiz Advisor: Dr. Tugba Efendigil

INTRODUCTIONS



Portland ME
Colby College
Ahold-Delhaize



Joaquin Ortiz
Culiacán Mexico
ITESM
Coppel



Dr. Tugba Efendigil
Istanbul Turkey
Yildiz Technical University
MIT Research Scientist



AGENDA

Company Overview
Problem Statement
Methodology
Results
Conclusion



COMPANY OVERVIEW

FOOD 15 LION



1,100 + Stores



6 Distribution Centers




\$11.6 Billion in Sales/Year



454 Million Cases/Year







NATURE OF THE INDUSTRY







NATURE OF THE INDUSTRY










PROBLEM






Inventory Goes to 0

WHY DON'T THEY TRUST THE SYSTEM?



CAUSES OF MISTRUST



CLASSIFICATION CRITERIA



Promotion

Item with a

price reduction



Key Item

Important for the brand or company



Seasonal

High and low demand depending on the season




Vendor Dependable

Consistently delivers critical product in full



DECISION FRAME


MIT Supply Chain




16 Unique Cycle Service Level Classes

INVENTORY POLICY

MIT Supply Chain



SIMULATIONS



Item Selection

- CV vs. Avg. Weekly Demand
- Fast and Slow Movers
- Promoted and Non-Promoted
- Seasonal and Non-Seasonal


Simulations

- 1. Fixed CSL
- 2. Standard Deviation
- 3. Dynamic
- 4. Adjusted Dynamic




SYSTEM DYNAMICS (VENSIM)

Better understanding of the dynamics of the process!






SYSTEM DYNAMICS (VENSIM)





SYSTEM DYNAMICS MODEL IN PRACTICE





RELEX







- Current software provider
- Easily customizable for a variety of simulations
- Solutions can be implemented in production environment



RESULTS: STANDARD DEVIATION DIFFERENCE



Results

SD of Demand



5 % Inventory Reduction



1 % Fill Rate Reduction

Takeaway


- Safety Stock as a buffer against variability in forecast
- Adjust using CSL not SD



- SD Demand
- SD FCST Error




INITIAL SIMULATION RESULTS





ADJUSTED DYNAMIC VS. FIXED





18% Inventory Reduction With 91% Fill Rate

NEXT STEPS & TAKEAWAYS

Next Steps

- Apply dynamic CSLs across categories
- Work on implementation

Takeaways

- Buffer for uncertainty in forecast
- Use dynamic CSLs for items of varying importance
- Incorporate decision makers in modeling process



QUESTIONS?

